Index

IEE Proceedings Optoelectronics

Vol. 148, 2001

Author Index

A

Adams, A.R. p256
Adams, M.J. p60
Al-Dwayyan, A. p251
Aldibbiat, N.M. p91
Augustsson, T. p205

B

Balkan, N. p60
Barlow, G.F. p2, p165
Bellemare, A. p150
Benito, D. p143
Berger, J. p171
Boland-Thoms, A. p60
Boucher, Y. p25
Boylan, K. p19
Briggmann, D. p171
Brown, T.M. p74
Buchold, B. p171
Button, C.C. p60

C

Cacialli, F. p74
Cao, Y. p251
Cartaxo, A.V.T. p107, p135
Chang, S.J. p117
Chen, C.-H. p85
Chen, J.F. p117
Chen, Y. p161
Cho, A.Y. p215
Choulis, S.A. p49
Chu, S.N.G. p215
Constant, S.B. p69
Cranton, W.M. p101

D

D'Alessandro, D. p125
David, J.P.R. p225, p243
Dellea, O. p25
Donati, S. p125
Dyson, A. p60

E

Ellison, J.G. p176
Emeny, M.T. p97

F

Fan, C. p156, p161
Feiste, U. p171
Fischer, A. p233
Forchel, A. p183
Frolov, S.V. p215

G

Garde, M.J. p143
Gentner, J.-L. p183
Ghassemlooy, Z. p91
Ghisoni, M. p31
Ghosh, S. p69
Gioannini, M. p13
Giuliani, G. p125
Gmachl, C. p215
Groom, K.M. p238
Guo, D.-F. p121
Guo, W.-H. p229

H

Halonen, J. p31
Han, S.-K. p189
Happ, T.D. p183
Hegarty, J. p19
Herrmann, E. p238
Hild, K. p220
Hill, G. p225
Hirotani, M. p220
Hong, J.W. p195
Hong, Y. p31
Hopkinson, M. p238, p243
Hosea, T.J.C. p49, p69, p220
Huang, B.R. p117
Huang, Y.-Z. p131, p229
Hyuncheol Park p199

J

Jacob, B. p81
Jones, D.R. p65
Jones, R.J. p7, p35

K

Kamp, M. p183
Kane, D.M. p7, p247
Kang, J.-M. p189
Karasek, M. p150
Kato, T. p220
Keir, A.M. p97
Knowles, G. p55, p256
Kueppers, F. p171

L

Larsson, A. p31
Lawrence, J. p7
Lecce, M. p266
Lee, M.-H. p189
Lenstra, D. p233
Liao, C.H. p195
Lin, C.-S. p195
Loayssa, A. p143
Ludwig, R. p171

M

Markard, A. p183
Martin, T. p97
Mayol, C. p41
McDonald, D. p19
McLaughlin, R. p91
Menif, M. p150
Mias, C. p101
Mirasso, C.R. p41
Mizuno, Y. p220
Montrosset, I. p13, p266
Morgado, J.A.P. p107
Mowbray, D.J. p238
Munk, A. p171

N

Nakajima, K. p209
Ng, B.K. p243
Ng, H.M. p215
Ng, J.S. p225
Ning, Y. p238

O

O'Gorman, J. p19
Ohashi, M. p209
Omae, T. p209

P

Pesquera, L. p41
Pierce, I. p65
Pinches, S.M. p225
Plimmer, S.A. p81, p243
Potter, R. p60

R

Raja, M.Y.A. p251
Rebola, J.L. p135
Rees, G.J. p81, p225, p243
Rees, P. p65
Roberts, J.S. p261
Robson, P.N. p81
Rudiger, J. p101
Rumpf, F. p171

S

Sale, T. p55
Sale, T.E. p69, p220
Sceats, R. p60
Schmauss, B. p171
Schmidt, C. p171
Schubert, C. p171
Shahverdiev, E.M. p46
Shore, K.A. p2, p31, p35, p46, p165, p247
Siddiqui, A.S. p176
Smowton, P.M. p238
Spencer, P.S. p7, p35
Stevens, R. p101
Su, Y.K. p117
Summers, H.D. p65, p261
Sweeney, S.J. p55, p256

T

Toral, R. p41
Tozer, R.C. p243
Travis, A.R.L. p85
Turovets, S.I. p41

V

Vemuri, G. p233

W

Wallis, D.J. p97
Wang, C.X. p251
Wang, S. p156
Weber, H.G. p171
Weldon, V. p19
Wen, L.F. p117
Wu, J. p261

Y

Yeh, R.-H. p195
Yousefi, M. p233
Yu, L.-J. p229

Z

Zhang, L. p161

CODES AND DECODING

Convolutional coded pulse-position modulation on wireless infrared link p199

COMPUTER COMMUNICATIONS

Design of wideband hybrid amplifiers for local area networks p150

DISPLAY TECHNOLOGY

Fast modelling of the optical characteristics of electroluminescent pixel structures p101
Strategies for 3D video with wide fields-of-view p85

ELECTRO-OPTICAL DEVICES

Energy level line-up in polymer light-emitting diodes via electroabsorption spectroscopy p74
Illumination effect on switching performance of a triangular-barrier resonant-tunnelling diode p121
Strategies for 3D video with wide fields-of-view p85

ENVIRONMENTAL ASPECTS

Sampled grating DBR laser as a spectroscopic source in multigas detection at 1.52-1.57 μm p19

FIBRE LASERS

Beat phenomena in cascaded all optical gain-clamped erbium-doped fibre amplifiers p161
Design of wideband hybrid amplifiers for local area networks p150
Generalised attenuation coefficients and a novel simulation model for Raman fibre amplifiers p156

FIBRE OPTICS

Conditions for measuring n_2 of various single-mode method nonlinear refractive index fibres using cw-SPM p209
Dispersion supported transmission technique: comparison of performance in anomalous and normal propagation regimes p107
High-resolution measurement of stimulated Brillouin scattering spectra in single-mode fibres p143
Using polarimetric optical time domain reflectometry to extract spun fibre parameters p176

FILTERS AND FILTERING

Convolutional coded pulse-position modulation on wireless infrared link p199
Gaussian approach for performance evaluation of optically preamplified receivers with arbitrary optical and electrical filters p135

INFORMATION THEORY

Error performance of dual header pulse interval modulation (DH-PIM) in optical wireless communications p91

INTEGRATED OPTICS

Fast modelling of the optical characteristics of electroluminescent pixel structures p101
Short cavity InP-lasers with 2D photonic crystal mirrors p183
Strategies for 3D video with wide fields-of-view p85

INTEGRATED OPTOELECTRONICS

Proposal of a phase shifted Bragg grating assisted MZI for add-drop multiplexing p205

LASER APPLICATIONS

Investigation of changes in absorber position in the 650 nm AlGaInP self-pulsating laser for optical storage applications p65
Sampled grating DBR laser as a spectroscopic source in multigas detection at 1.52-1.57 μm p19

LASER BEAM MODULATION

Analysis of integrated mode-locked semiconductor lasers: spectral domain approach p266
Detuned side-mode injection for enhancing oscillation frequency of a semiconductor laser p35
Dispersion supported transmission technique: comparison of performance in anomalous and normal propagation regimes p107
Error performance of dual header pulse interval modulation (DH-PIM) in optical wireless communications p91
Influence of leakage and gain-cavity alignment on the performance of Al(GaInP) visible vertical-cavity surface emitting lasers p55
Investigation of changes in absorber position in the 650 nm AlGaInP self-pulsating laser for optical storage applications p65
Main resonances in directly modulated semiconductor lasers: effect of spontaneous emission and gain saturation p41
Novel interleaved sampled grating mirrors for widely tunable DBR lasers p13
Polarisation switching in a vertical cavity surface emitting semiconductor laser by frequency detuning p31
Sampled grating DBR laser as a spectroscopic source in multigas detection at 1.52-1.57 μm p19
Self-heating effects in red (665 nm) VCSELs p256

LASER BEAMS

Hot electron light emission from a GaInAsP/InP structure p60
Influence of leakage and gain-cavity alignment on the performance of Al(GaInP) visible vertical-cavity surface emitting lasers p55
Investigation of changes in absorber position in the 650 nm AlGaInP self-pulsating laser for optical storage applications p65

LASER DESIGN

Design of wideband hybrid amplifiers for local area networks p150
Experimental investigation of thermally induced power saturation in vertical-cavity surface-emitting lasers p261
Growth characterisation of $In_xGa_{1-x}As/GaAs/AlAs$ vertical-cavity surface-emitting laser structure using photomodulated reflectance p49
Hot electron light emission from a GaInAsP/InP structure p60
Influence of leakage and gain-cavity alignment on the performance of Al(GaInP) visible vertical-cavity surface emitting lasers p55
Investigation of changes in absorber position in the 650 nm AlGaInP self-pulsating laser for optical storage applications p65
Low frequency pulsation in the VCSEL coupled to a long external cavity p251
Novel interleaved sampled grating mirrors for widely tunable DBR lasers p13
Sampled grating DBR laser as a spectroscopic source in multigas detection at 1.52-1.57 μm p19
Self-heating effects in red (665 nm) VCSELs p256
Short cavity InP-lasers with 2D photonic crystal mirrors p183

LASER RESONATORS AND CAVITIES

Beat phenomena in cascaded all optical gain-clamped erbium-doped fibre amplifiers p161
Experimental investigation of thermally induced power saturation in vertical-cavity surface-emitting lasers p261
Growth characterisation of $In_xGa_{1-x}As/GaAs/AlAs$ vertical-cavity surface-emitting laser structure using photomodulated reflectance p49
Hot electron light emission from a GaInAsP/InP structure p60
Influence of external cavity length on the coherence collapse regime in laser diodes subject to optical feedback p7
Influence of leakage and gain-cavity alignment on the performance of Al(GaInP) visible vertical-cavity surface emitting lasers p55
Low frequency pulsation in the VCSEL coupled to a long external cavity p251
Polarisation switching in a vertical cavity surface emitting semiconductor laser by frequency detuning p31
Self-heating effects in red (665 nm) VCSELs p256
Short cavity InP-lasers with 2D photonic crystal mirrors p183
Size limit and spontaneous emission factor for equilateral triangle semiconductor microlasers p229

LASERS

Threshold current analysis of distributed feedback organic semiconductor lasers p2

MATERIALS TESTING

Growth characterisation of $In_xGa_{1-x}As/GaAs/AlAs$ vertical-cavity surface-emitting laser structure using photomodulated reflectance p49

MEASUREMENT OF SPECIFIC VARIABLES

Conditions for measuring n_2 of various single-mode method nonlinear refractive index fibres using cw-SPM p209
Sampled grating DBR laser as a spectroscopic source in multigas detection at 1.52-1.57 μm p19
Using polarimetric optical time domain reflectometry to extract spun fibre parameters p176

MEASUREMENT SCIENCE

Conditions for measuring n_2 of various single-mode method nonlinear refractive index fibres using cw-SPM p209

MODULATION

Convolutional coded pulse-position modulation on wireless infrared link p199
Dispersion supported transmission technique: comparison of performance in anomalous and normal propagation regimes p107
Error performance of dual header pulse interval modulation (DH-PIM) in optical wireless communications p91

NONLINEAR OPTICS

All optical signal regeneration in cascaded Mach-Zehnder interferometer wavelength converter p189
Conditions for measuring n_2 of various single-mode method nonlinear refractive index fibres using cw-SPM p209
Control of nonlinear dynamics of a semiconductor laser with filtered optical feedback p233
Experimental investigation of thermally induced power saturation in vertical-cavity surface-emitting lasers p261
Generalised attenuation coefficients and a novel simulation model for Raman fibre amplifiers p156
High-resolution measurement of stimulated Brillouin scattering spectra in single-mode fibres p143
Influence of external cavity length on the coherence collapse regime in laser diodes subject to optical feedback p7
Investigation of changes in absorber position in the 650 nm AlGaInP self-pulsating laser for optical storage applications p65

Main resonances in directly modulated semiconductor lasers: effect of spontaneous emission and gain saturation p41
Spectral gain and noise evaluation of SOA and SOA-based switch matrix p125
Time-delay hyperchaos synchronisation and implications for laser diodes subject to optical feedback p46

OPTICAL COMMUNICATION

160 Gbit/s field transmission over 116 km standard single mode fibre using 160 Gbit/s OTDM and 40 Gbit/s ETDM demultiplexer p171
Convolutional coded pulse-position modulation on wireless infrared link p199
Design of wideband hybrid amplifiers for local area networks p150
Dispersion supported transmission technique: comparison of performance in anomalous and normal propagation regimes p107
Error performance of dual header pulse interval modulation (DH-PIM) in optical wireless communications p91

OPTICAL COMMUNICATION EQUIPMENT

160 Gbit/s field transmission over 116 km standard single mode fibre using 160 Gbit/s OTDM and 40 Gbit/s ETDM demultiplexer p171
All optical signal regeneration in cascaded Mach-Zehnder interferometer wavelength converter p189
Convolutional coded pulse-position modulation on wireless infrared link p199
Design of wideband hybrid amplifiers for local area networks p150
Gaussian approach for performance evaluation of optically preamplified receivers with arbitrary optical and electrical filters p135
Proposal of a phase shifted Bragg grating assisted MZI for add-drop multiplexing p205
Spectral and thermal properties of red AlGaInp RCLEDs for polymer optical fibre applications p220
Spectral gain and noise evaluation of SOA and SOA-based switch matrix p125

OPTICAL COMPUTING

All optical signal regeneration in cascaded Mach-Zehnder interferometer wavelength converter p189

OPTICAL DEVICES

Amplified spontaneous emission and threshold crossing in a distributed-Bragg reflector grating-coupled surface-emitting laser p25
Fast modelling of the optical characteristics of electroluminescent pixel structures p101
Gaussian approach for performance evaluation of optically preamplified receivers with arbitrary optical and electrical filters p135
Low frequency pulsation in the VCSEL coupled to a long external cavity p251
Novel interleaved sampled grating mirrors for widely tunable DBR lasers p13
Proposal of a phase shifted Bragg grating assisted MZI for add-drop multiplexing p205
Sampled grating DBR laser as a spectroscopic source in multigas detection at 1.52-1.57 μm p19
Short cavity InP-lasers with 2D photonic crystal mirrors p183
Strategies for 3D video with wide fields-of-view p85
Threshold gain and threshold current analysis of circular grating DFB organic semiconductor lasers p165

OPTICAL IMAGE PROCESSING

Convolutional coded pulse-position modulation on wireless infrared link p199

OPTICAL MATERIALS

Energy level line-up in polymer light-emitting diodes via electroabsorption spectroscopy p74
Improving characteristics of Si-based trench-electrode metal-semiconductor-metal photodetectors using self-aligned process p195
Measurement of III-V quaternary composition using X-ray diffraction p97
Short cavity InP-lasers with 2D photonic crystal mirrors p183

OPTICAL STORAGE

Investigation of changes in absorber position in the 650 nm AlGaInP self-pulsating laser for optical storage applications p65

OPTICAL SWITCHING

160 Gbit/s field transmission over 116 km standard single mode fibre using 160 Gbit/s OTDM and 40 Gbit/s ETDM demultiplexer p171
All optical signal regeneration in cascaded Mach-Zehnder interferometer wavelength converter p189
Design of wideband hybrid amplifiers for local area networks p150
Illumination effect on switching performance of a triangular-barrier resonant-tunnelling diode p121
Polarisation switching in a vertical cavity surface emitting semiconductor laser by frequency detuning p31
Proposal of a phase shifted Bragg grating assisted MZI for add-drop multiplexing p205
Spectral gain and noise evaluation of SOA and SOA-based switch matrix p125

OPTICAL TECHNIQUES

All optical signal regeneration in cascaded Mach-Zehnder interferometer wavelength converter p189
Analysis of integrated mode-locked semiconductor lasers: spectral domain approach p266
Conditions for measuring n_2 of various single-mode method nonlinear refractive index fibres using cw-SPM p209
Dispersion supported transmission technique: comparison of performance in anomalous and normal propagation regimes p107
Growth characterisation of $In_xGa_{1-x}As/GaAs/AlAs$ vertical-cavity surface-emitting laser structure using photomodulated reflectance p49
Hot electron light emission from a GaInAsP/InP structure p60
Influence of leakage and gain-cavity alignment on the performance of Al(GaInP) visible vertical-cavity surface emitting lasers p55
Sampled grating DBR laser as a spectroscopic source in multigas detection at 1.52-1.57 μm p19
Sub-picosecond intersub-band electron scattering times in GaN/AlGaN superlattices grown by molecular beam epitaxy p215
Using polarimetric optical time domain reflectometry to extract spun fibre parameters p176

OPTICAL WAVEGUIDES

Comparison of modal gain and material gain for strong guiding slab waveguides p131

OPTIMISATION

Low quantum noise laser diodes p247

OPTOELECTRONICS

$Al_{0.8}Ga_{0.2}As$: a very low excess noise multiplication medium for avalanche photodiodes p243
Energy level line-up in polymer light-emitting diodes via electroabsorption spectroscopy p74
Fast modelling of the optical characteristics of electroluminescent pixel structures p101
Hot electron light emission from a GaInAsP/InP structure p60
Impact ionisation coefficients of $In_{0.53}Ga_{0.47}As$ p225
Lucky-drift model for nonlocal impact ionisation p81
Nondestructive spectroscopic characterisation of visible resonant cavity light emitting diode structures p69
Spectral and thermal properties of red AlGaInp RCLEDs for polymer optical fibre applications p220

PERFORMANCE EVALUATION

Gaussian approach for performance evaluation of optically preamplified receivers with arbitrary optical and electrical filters p135

PHOTODETECTORS

Improving characteristics of Si-based trench-electrode metal-semiconductor-metal photodetectors using self-aligned process p195
Lucky-drift model for nonlocal impact ionisation p81

PRODUCTION ENGINEERING

Growth characterisation of $In_xGa_{1-x}As/GaAs/AlAs$ vertical-cavity surface-emitting laser structure using photomodulated reflectance p49
Low frequency pulsation in the VCSEL coupled to a long external cavity p251

QUANTUM OPTICS

Low quantum noise laser diodes p247

SEMICONDUCTOR DEVICE MODELLING

Analysis of integrated mode-locked semiconductor lasers: spectral domain approach p266
Control of nonlinear dynamics of a semiconductor laser with filtered optical feedback p233
Fast modelling of the optical characteristics of electroluminescent pixel structures p101
Size limit and spontaneous emission factor for equilateral triangle semiconductor microlasers p229

SEMICONDUCTOR DEVICES

Hot electron light emission from a GaInAsP/InP structure p60
Illumination effect on switching performance of a triangular-barrier resonant-tunnelling diode p121

SEMICONDUCTOR INTERFACES

Hot electron light emission from a GaInAsP/InP structure p60
Illumination effect on switching performance of a triangular-barrier resonant-tunnelling diode p121
Improving characteristics of Si-based trench-electrode metal-semiconductor-metal photodetectors using self-aligned process p195
Spectral and thermal properties of red AlGaInp RCLEDs for polymer optical fibre applications p220
Sub-picosecond intersub-band electron scattering times in GaN/AlGaN superlattices grown by molecular beam epitaxy p215

SEMICONDUCTOR LASERS

All optical signal regeneration in cascaded Mach-Zehnder interferometer wavelength converter p189
Amplified spontaneous emission and threshold crossing in a distributed-Bragg reflector grating-coupled surface-emitting laser p25
Analysis of integrated mode-locked semiconductor lasers: spectral domain approach p266
Control of nonlinear dynamics of a semiconductor laser with filtered optical feedback p233
Detuned side-mode injection for enhancing oscillation frequency of a semiconductor laser p35
Effects of electron effective mass on the multiquantum barrier structure in AlGaInP laser diodes p117
Experimental investigation of thermally induced power saturation in vertical-cavity surface-emitting lasers p261

Growth characterisation of $In_xGa_{1-x}As/GaAs/AlAs$ vertical-cavity surface-emitting laser structure using photomodulated reflectance p49
Hot electron light emission from a GaInAsP/InP structure p60
Influence of external cavity length on the coherence collapse regime in laser diodes subject to optical feedback p7
Influence of leakage and gain-cavity alignment on the performance of Al(GaInP) visible vertical-cavity surface emitting lasers p55
Investigation of changes in absorber position in the 650 nm AlGaInP self-pulsating laser for optical storage applications p65
Low frequency pulsation in the VCSEL coupled to a long external cavity p251
Low quantum noise laser diodes p247
Main resonances in directly modulated semiconductor lasers: effect of spontaneous emission and gain saturation p41
Novel interleaved sampled grating mirrors for widely tunable DBR lasers p13
Polarisation switching in a vertical cavity surface emitting semiconductor laser by frequency detuning p31
Sampled grating DBR laser as a spectroscopic source in multigas detection at 1.52-1.57 μm p19
Self-heating effects in red (665 nm) VCSELs p256
Short cavity InP-lasers with 2D photonic crystal mirrors p183
Size limit and spontaneous emission factor for equilateral triangle semiconductor microlasers p229
Spectral gain and noise evaluation of SOA and SOA-based switch matrix p125
Threshold current analysis of distributed feedback organic semiconductor lasers p2
Threshold gain and threshold current analysis of circular grating DFB organic semiconductor lasers p165
Time-delay hyperchaos synchronisation and implications for laser diodes subject to optical feedback p46

SEMICONDUCTOR MATERIALS

Hot electron light emission from a GaInAsP/InP structure p60
Improving characteristics of Si-based trench-electrode metal-semiconductor-metal photodetectors using self-aligned process p195
Performance of lasers containing three, five and seven layers of quantum dots p238
Spectral and thermal properties of red AlGaInp RCLEDs for polymer optical fibre applications p220
Sub-picosecond intersub-band electron scattering times in GaN/AlGaN superlattices grown by molecular beam epitaxy p215

SEMICONDUCTOR TECHNOLOGY

Illumination effect on switching performance of a triangular-barrier resonant-tunnelling diode p121
Improving characteristics of Si-based trench-electrode metal-semiconductor-metal photodetectors using self-aligned process p195

SIGNAL DETECTION

Convolutional coded pulse-position modulation on wireless infrared link p199

STATISTICAL ANALYSIS

$Al_{0.8}Ga_{0.2}As$: a very low excess noise multiplication medium for avalanche photodiodes p243
Lucky-drift model for nonlocal impact ionisation p81

THIN FILM GROWTH

Growth characterisation of $In_xGa_{1-x}As/GaAs/AlAs$ vertical-cavity surface-emitting laser structure using photomodulated reflectance p49
Hot electron light emission from a GaInAsP/InP structure p60
Influence of leakage and gain-cavity alignment on the performance of Al(GaInP) visible vertical-cavity surface emitting lasers p55
Nondestructive spectroscopic characterisation of visible resonant cavity light emitting diode structures p69
Sub-picosecond intersub-band electron scattering times in GaN/AlGaN superlattices grown by molecular beam epitaxy p215

WAVEGUIDE THEORY

Comparison of modal gain and material gain for strong guiding slab waveguides p131